



测试报告

BNCZASKL98109504

2019.07.03

1 fi, fi 7 fi


6 7 8 9 # \$ % & ' () * + , - . / : ; < = > ? @ A B C D E F G H I J K L M N O P Q R S T U V W X Y Z [\] ^ _ ` a b c d e f g h i j k l m n o p q r s t u v w x y z 0 1 2 3 4 5 6 7 8 9

Ž ž L M,

- (1) IEC 62321-5 Edition 1.0:2013 NOP Q R G < S J T L U Ž V W N X Y
- (2) IEC 62321-5 Edition 1.0:2013 NOP Q R G < S J T L U Ž V Z N X Y
- (3) IEC 62321-4:2013+AMD1:2017 CSV NOP QR; [\] ^ _ < ` a b T L U Ž V c N X Y
- (4) IEC 62321-7-2 Edition 1.0:2017 NOP QR d e - f g h T T i j Ž V k l m N X Y
- (5) IEC 62321-6 Edition 1.0:2015 NOP QR n o p L q L r R U Ž V r N X Y
- (6) IEC 62321-8 Edition 1.0:2017 NOP , R n o p L q L r R U Ž V N X Y
- (7) EPA3540C:1996&EPA8270E:2017 NOP , R n o p L - q L U Ž V k N X Y

Ž ž g D fi

Handwritten signature



Code: f9t8xz

fi D



北京实验室: (010) 83055000 长春实验室: (0431) 8515908 石家庄实验室: (0311) 85376660 武汉实验室: (027) 89608785
 天津实验室: (022) 64851999 大连实验室: (0411) 87336618 西安实验室: (029) 89608785 合肥实验室: (0551) 63843474
 深圳实验室: (0755) 26080909 哈尔滨实验室: (45) 53816701 青岛后湾实验室: (0471) 3450025 广州实验室: (020) 89224310
 烟台实验室: (0535) 3360730 郑州实验室: (0371) 69350670 杭州实验室: (0571) 87219096 厦门实验室: (0592) 5568048
 南京实验室: (025) 1262997900 新疆实验室: (0991) 6684186 宁波实验室: (0574) 87736499 成都实验室: (028) 87702708



测试报告 BNCZASKL98109504 1 2019.07.03 / 2 fi, fi 7 fi

Ž ž (8.9 mg/kg) ? @ E.F L98109504 PVC G H

Ž ž	OP) &	Ž ž	RoHS & Y
W	1)	1000
Z	1)	100
c	1)	1000
k l m	8)	1000
r	—)	1000
r	5)	—
r	5)	—
r	5)	—
r	5)	—
r	5)	—
r	5)	—
k r	5)	—
r	5)	—
r	5)	—
r	5)	—
r	5)	—
	—)	1000
	5)	—
	5)	—
	5)	—
	5)	—
	5)	—
k	5)	—
	5)	—
	5)	—
	5)	—
	5)	—
	5)	—

fi D

谱尼测试 Pony Testing International Group

北京实验室: (010) 83055000 上海实验室: (021) 64851999 长春实验室: (0431) 85150908 石家庄实验室: (0311) 85376660 武汉实验室: (027) 89608785 西安实验室: (029) 89608785 合肥实验室: (0551) 63843474 深圳实验室: (0755) 26080909 哈尔滨实验室: (45) 53536166 呼和浩特实验室: (0471) 3450025 广州实验室: (020) 89224310 天津实验室: (022) 27360730 郑州实验室: (0371) 69350670 杭州实验室: (0571) 87219096 厦门实验室: (0592) 55680048 苏州实验室: (0512) 62997900 新疆实验室: (0991) 6684186 宁波实验室: (0574) 87736499 成都实验室: (028) 87702708





扫描二维码
关注谱尼测试

测试报告

BNCZASKL98109504

2019.07.03

3 fl, fl 7 fi

Ž ž (8 9 mg/kg)

Ž ž	CAS	OP) &	Ž ž	RoHS & Y
(2-) (DEHP)	117-81-7	30)	1000
DBP	84-74-2	30)	1000
BBP	85-68-7	30)	1000

Ž ž (8 9 mg/kg)

Ž ž	OP) &	Ž ž
k	5)

(1) mg/kg = ppm

(2) "—" = V

(3)) (OP) &

(4) & R RoHS 2011/65/EU (EU)2015/863 N

? @ "



N? @

fi D



测试报告

BNCZASKL98109504

2019.07.03


4 fi, fi 7 fi

ž ž

S

? @ D

解 k l m 除 e




fi D



扫描二维码
关注谱尼测试

测试报告 BNCZASKL98109504 1 2019.07.03 / 5 fl, fl 7 fl

张硕 S



fi D




测试报告

BNCZASKL98109504

1 2019.07.03

/ 6 fi, fi 7 fi

Ž ž 张硕 S



fi D

谱尼测试

Pony Testing International Group

北京实验室: (010) 83055000 上海实验室: (021) 64851999 长春实验室: (0431) 85150908 石家庄实验室: (0311) 85376660 武汉实验室: (027) 89608785 西安实验室: (029) 89608785 合肥实验室: (0551) 63843474
 深圳实验室: (0755) 26080909 哈尔滨实验室: (45) 58166601 郑州实验室: (0371) 3450025 广州实验室: (020) 89224310
 天津实验室: (022) 27360730 郑州实验室: (0371) 69350670 杭州实验室: (0571) 87219096 厦门实验室: (0592) 5568048
 苏州实验室: (0512) 62997900 新疆实验室: (0991) 6684186 宁波实验室: (0574) 87736499 成都实验室: (028) 87702708






扫二维码
关注谱尼测试

测试报告 BNCZASKL98109504 1 2019.07.03 / 7 fi, fi 7 fi

张硕 S



*** 束 ***