




CCA-6 40	0.53	6		665	736	820
CCA-4 50	0.37	4	50	609	674	735
CCA-5 50	0.46	5		721	799	870
CCA-6 50	0.54	6		815	902	982
CCA-8 50	0.69	8		949	1051	1145
CCA-4 60	0.37	4		60	757	674
CCA-5 60	0.46	5	856		948	1033
CCA-6 60	0.55	6	883		978	1066
CCA-8 60	0.71	8	1013		1123	1223
CCA-10 60	0.86	10	1135		1257	1369
CCA-4 80	0.38	4	80	909	1007	1097
CCA-5 80	0.47	5		1010	1119	1219
CCA-6 80	0.56	6		1175	1263	1376
CCA-8 80	0.73	8		1339	1483	1530
CCA-10 80	0.89	10		1410	1562	1702
CCA-5 100	0.47	5	100	1195	1323	1442
CCA-6 100	0.57	6		1344	1488	1621
CCA-8 100	0.74	8		1523	1687	1838
CCA-10 100	0.91	10		1734	1920	2092
CCA-12 100	1.08	12		1922	2128	2319
CCA-6 120	0.57	6	120	1580	1750	1906
CCA-8 120	0.75	8		1778	1969	2145
CCA-10 120	0.92	10		2018	2235	2435
CCA-12 120	1.09	12		2240	2481	2702






RCCN



上海日成电子有限公司
www.rccn.com.cn



ISO 16949



ISO 9001



CCA

,CCA

