



PCF

PCF

: POM,
0-10kgf/cm²
-20~70°C

PU


- 1.
- 2.
- 3.

PCF



RCCN 日成PCF内螺纹直通型管接头

RoHS



品名	规格	数量	单位	备注
PCF4-M5	4	M5x0.8	100	
PCF4-01	4	PT1/8	100	
PCF4-02	4	PT1/4	100	
PCF4-04	4	PT1/2	100	
PCF6-M5	6	M5x0.8	100	
PCF6-01	6	PT1/8	100	
PCF6-02	6	PT1/4	100	
PCF6-03	6	PT3/8	100	
PCF6-04	6	PT1/2	50	
PCF8-01	8	PT1/8	100	
PCF8-02	8	PT1/4	100	
PCF8-03	8	PT3/8	100	
PCF8-04	8	PT1/2	100	
PCF10-01	10	PT1/8	100	
PCF10-02	10	PT1/4	100	
PCF10-03	10	PT3/8	100	
PCF10-04	10	PT1/2	50	
PCF12-01	12	PT1/8	100	
PCF12-02	12	PT1/4	100	
PCF12-03	12	PT3/8	100	
PCF12-04	12	PT1/2	50	



规格齐全
种类多样

耐高压 & 不脱扣


能够承受更大更强而不脱扣，安装方便，使用寿命长

精工压铸

坚固耐用

杜绝漏气








密封性能佳

螺纹采用预涂四氟乙烯胶，密封性能好

多种规格可选

适用于多种场合,应用范围广



EXQUISITE QUALITY
严格工艺精湛品质

更精湛的工艺 更高品质的产品

5 BIG COMMITMENT TO LET YOU IN SUINENG FURNITURE STRICT WORKMANSHIP
EXQUISITE QUALITY SHOPPING WORRY FREE

- 
抗腐蚀强
- 
经久耐用
- 
抗温性强
- 
品质保障
- 
不生锈



